



SPM Software User Manual

SPM Software User Manual

DPS G PC App (PC Client)	1
Sign Up and Log in	1
Main Panel, Menu	3
Current, Voltage, Efficiency	4
Consumption Wattage, Fan Speed, Electricity Cost	5
Temperature, RGB Control	6
CPU, VGA	6, 7
Settings	8
Record	9
Share, About	9, 10
Warning Alert	10
DPS G Smart Power Management Cloud (Website)	11
Sign Up and Log in	11
Major Index & Dashboard	12
ME & Activity Log	13
Analysis	14
Eco Report	15
Energy Consumption Report	16
Efficiency/Wattage User Behavior Report	17
Energy Saving Plan	18
Warning Alert	19
Map	19
PC Off Remote Control	20
Account & Settings	21
DPS G Mobile App	22
Install, Sign Up & Log in	22
Record	23
Single Comparison	23
Total Analysis	24
Warning Alert and PC Off Remote Control	25
Feed	27
Map	27
Settings	28
FAQ	29





DPS G PC App (PC Client)

Support Environment: Windows 7, Windows 8, Windows 10.

Required Software: Java, Adobe Flash Player, Microsoft .Net 4.5 or later


Sign Up:

Click [Register](#) to create a new account in SPM website.



DPS G APP Login:

Click [Login](#) to access your new account.



※ Please verify and active SPM account via your email.

After registering successfully, please login DPS G PC APP to start uploading your PSU's data.

If you do not connect the power supply and motherboard via USB, it will pop up the connection fail message as picture below.



DPS G App Introduction

Main Panel




1. Record the usage time.
2. Show real-time monitoring value.
3. Switch the monitoring value.
4. Monitoring items.
5. Show the real-time data.
6. Main menu.



Main menu

The following pages are the icon of home page and the function of monitoring value introduction:



Switch Voltage

You can use the < > icon to change the 12V, 5V, 3.3V voltage.

When you select one of voltage, the electric current and the voltage for AMP and the VOLT will be switched.



Current

Real-time electric current display.



Voltage

Real-time voltage display.



Efficiency

Real-time Efficiency data of power supply.

	80 PLUS	80 PLUS [®] BRONZE	80 PLUS [®] SILVER	80 PLUS [®] GOLD	80 PLUS [®] PLATINUM	80 PLUS [®] TITANIUM
Load						
10 %						90%
20 %	80%	82%	85%	87%	90%	92%
50 %	80%	85%	88%	90%	92%	94%
100 %	80%	82%	85%	87%	89%	90%



Consumption of Wattage

The power consumption is under the different loading scenario to change real-time value.



Fan Speed

Aside from the silent and performance mode, DPS G PC APP comes with the new Zero Fan mode to minimize the audible noise of your PC. The fan will be turned on around 60% of rated load to optimize the thermal performance and minimize the audible noise.



Electricity Cost

Click the  icon; a setting window for electric cost will be shown aside. Please refer to the electricity cost of your own country and enter the electricity cost in this program. The program will calculate electricity cost once a minute.

Note: The result of the estimation would vary from country to country due to the factors such as electricity rate is different in every country, and user's PC would be under different states (On, stand-by, sleep, and off). Thermaltake would suggest our customers to use this estimation as reference only. The actual cost would be based on the user's usage scenario.



Temperature


The default unit of power supply temperature is centigrade and users can also adjust the unit to Fahrenheit.

NEW



RGB Control

Click RGB icon, users can set any single fan color they want, switching between **LED ON** and **COLORFUL** mode. The fan color cycles through 256 colors under **COLORFUL** mode. Also, LED brightness can be adjusted as well, and color remains unchanged even after the PC has been turned off or rebooted.



CPU

DPS G PC App enables users to digitally monitor the key parameters of the CPU, including efficiency, wattage, voltage and temperature while using computer.






VGA

DPS G PC App enables users to digitally monitor the key parameters of the VGA, including efficiency, wattage, voltage and temperature while using computer.



Note: The data read from the sensor on your motherboard and the reading values are based on the different types of motherboards. ThermalTaker cannot promise to capture all data from the motherboard and graphic card.

The description of the curve:



Click the  icon. You can select either the curve or dashboard to monitor the data on power supply.

Settings



- 1. Language:**

Select seven languages for English, Japanese, French, German, Russian, Traditional and Simplified Chinese.
- 2. Clear Electricity cost:**

The calculating electricity cost can only contain “9999” words and it does not clear automatically. Please clear the electricity cost before reaching to “9999”.
- 3. Clearing up user community login account:**

If you wish to share the DPS G App with multiple user accounts, please clear your existing account, log out of Internet Explorer, and login again with a different account to share the program.
- 4. Support:**

Click the Support item and it will link to official website of Thermaltake.
- 5. User Manual:**

Click the Use manual item and it will link to official website of Thermaltake.
- 6. Location Service:**

Click the Location Service to show your PC current location on the Map.
- 7. Software Update:**

Click the Software Update item and it will automatically download the latest software from the website.
- 8. Logout:**

Click the Logout and enter your SPM passwords to sign out.

Record

After clicking the Record, you will see the picture below. Whenever you use DPS G, the power status will be shown on it. The longest record for DPS G is set to 6 hours. If it is over 6 hours, the system will automatically create a new record.



The following items describe record page:

1. Record items.
2. The Record date.
3. Record data upload time.
4. Time period for the record.
5. Click to export the Record data (.csv).
6. Delete the selected Record data.

After selecting one data, you can see the detail information as following picture.



The description of this page is as below:

1. Show the item, the time of the record and the period of time.
2. You can switch the record to different voltage. When you switch the voltage, it will show the Volt (voltage) and the AMP (electric current) records.
3. Show all value of the power.
4. The time axis can be used to adjust the time of record by minute, the longest record time is 6 hours. You can use blue triangle to adjust the record.

Share



After selecting one detail data and click Share, it will extract picture from the Home and Record page. You can use your community account and e-mail to share with your friends and edit the words on pup up window and share it on your Facebook and Twitter.

Note: If you don't sign in the community website, the system will require you to sign in your account. After accessing your account, the sharing picture will be published on your website.

Enter your status and publish it on the website


Share your status of Thermaltake Toughpower DPS at 2016/05/17 18:19:24

YES NO

[illegible]

The screenshot displays the Thermaltake software interface. At the top, the Thermaltake logo and tagline "KEEP YOUR LIFE" are visible. Below this, the time is shown as "Time: 28 h / 41 m". A large, semi-circular fan speed gauge is positioned at the top, with a green-to-red color gradient and numerical markings for 6 and 9. A prominent red warning triangle with a white exclamation mark is centered on the screen, accompanied by the text "Fan Failure Warning". Below the warning, a message states: "The fan speed of power supply operates abnormally. Please make sure that your power supply fan is still working." A grey "OK" button is located below the message. At the bottom, a row of six icons represents different system metrics: COST (5.7), °C (28.3), 12V 5V 3.3V (5), AMP (2.1), and VOLT (5.17). The 12V 5V 3.3V icon is highlighted with a red border. The bottom navigation bar includes icons for Home, Setting, Record, Share, and About.

Note: Support Turn off/restart the system remotely to eliminate the damage from PSU failure.
(※Require DPS G App Version 2.3.2 or later.)






DPS G Smart Power Management Cloud (Website):


Website : <https://dps.thermaltake.com/>

Browser Support: IE 10 +, Google Chrome, FireFox, Safari, Opera.



What is Smart Power Management (SPM)?



Register and Login



✂ Please verify and active SPM account via your email.

After registering successfully, please login DPS G PC APP to start upload your PSU's data.


Major Index



Dashboard

Dashboard gives you a quick idea how your **Time of Usage, Electricity Cost, Electricity Consumption (kWh), Avg. Watts, and Avg. Efficiency** change in a certain period of time. (7 days, 14 days, & 30 days)

Drag to zoom in and show more detail.



ME → Activity Log



Digital Power Supply Presented:







Voltage, Current, Watts, Temperature, Efficiency, PSU Fan Speed

CPU Presented:

Voltage, Current, Watts, Temperature

VGA Presented:



Voltage, Current, Watts, Temperature



Analysis

Click “Analysis”, users can select the specific PSU they want to monitor, or click “Select All” to see all the digital power supplies. Detailed information such as total time, total cost, and kWh can be monitored at once.

Besides bar chart and line chart, users can also see the data in pie chart.



Analysis will show each power supply not only **Total Usage Time**, **Total Electricity Cost** and **Total Electricity Consumption (kWh)** by Bar, Pie and Line chart, but also presented detailed **ECO Report**, **Energy Consumption Report**, **Energy Saving Plan** and **Efficiency/Wattage User Behavior Report**.

Select the data report to analyze your PSU usage and behavior.


What kind of data would you like to analyze?

Office Lab PSU RGB1250W




ECO Report

This report indicates the amount of CO2 emission you reduce, the number of trees you plant, and how much electricity you consume. Please save the energy and help to protect the Earth with SPM.



Energy Consumption Report


The total time of usage, electricity cost, power usage, average watt, and average efficiency are the 5 major indices for energy consumption. Please save the energy and help to protect the Earth with SPM.



NEW


Efficiency/Wattage User Behavior Report

The Efficiency/Wattage User Behavior Report can provide a comprehensive analysis for Smart Power Supply users. With the PSU's conversion efficiency on the y-axis and power consumption on the x-axis, the report presents a complete overview of your electricity consumption behavior. In addition, the report can recommend suitable power supply wattages for optimum efficiency.




Energy Saving Plan

The Energy Saving Plan can help user simply save more money from wasting the energy by setting the goal of wattage consumption in specific time period, and send the usage reminder to users via email and mobile App in order to successfully achieve the goal. The energy saving plan helps users save not only the money but also protect the earth.




Warning Alert

As the SPM service architecture is shown on the top, the service allows users to receive a warning alert anywhere. The computers installed with an SPM supported PSU have the ability to monitor the real-time fan speed and temperature. DPS G PC APP will send out a real-time warning signal to the cloud when the fan speed, temperature (over 140°F/60°C), and voltage (over/under 5% of normal level) operate abnormally. In the meanwhile, the real-time warning alert will be pushed to DPS G Smart Power Management Cloud and Mobile App immediately through cloud platform.



Map


Discover more and more users who are interested in building an ECO environment and how much energy consumption other users have reduced in the world. The map ONLY appears users who have enabled their sharing location service.




NEW

PC Off Remote Control

Users will be able to turn off/restart/schedule the system remotely via their mobile devices when they receive a warning notification for fan failure, over temperature, and over/under voltage.



The Windows system will turn off in 30 seconds or shutdown according to the schedule by user setting.



Account → Settings

In this settings page user be able to edit Profile, Picture, PSU List, Password and Friend.

Profile: Name, Unit Preference, Country, Language, Electricity Cost, Location Service, Daily Report Notification.

Picture: Upload personal photo.

PSU List: Edit your PSU's name, picture and delete power supply.

Password: Edit SPM account password.

**THERMALTAKE DPS**
SMART POWER MANAGEMENT
// Beta 1.0

UPGRADE

FEEDMEANALYSISREMOTEMAPPRODUCTACCOUNT



Tony
✉ (0) 👤 (0)
Total Time 1168h
Total Cost 288
Total kWh 72

Friend(2)


ProfilePicturePSU ListPasswordFriend

Profile

First Name:
Tony

Last Name:

Email:
tony.peng@thermaltake.com


Birthday:
1985-02-01

Units Preference:
Celsius

Country:
Taiwan

Language:
English

Electricity cost:
Please make sure the electricity cost (\$/kWh) you have entered is the same electricity cost as the PC version.
4.00 \$/kWh

Share dynamic privilege:
You can set status to Public or Private.
Public

Location Service:
"DPS G APP" would like to show your current location on the map
Allow

Daily report notification
Allow

Submit

Language: English
2015 © Thermaltake. All Rights Reserved.
[Terms of Service](#) | [Privacy Policy](#) | [FAQ](#)

 Global Total Time
34291h

 Global Total kWh
2,955

 Global Average Efficiency
75.59%

21



DPS G Mobile App


Search Store: Tt DPS G

Compatibility: iOS 7.1, Android 4.4 or later.



Log in

Input your SPM e-mail and password, or you can register the new one.



Log in

E-mail


password

Submit

Register

WELCOME TO
THERMALTAKE DPS APP

Forgot password



Cancel Register


Please input your e-mail !

Please input password !

Please Check the password !

Full Name

Taiwan



Forgot Password

Enter the email you signed up with
and we will send a link to reset your
password.

Please input your e-mail !


Ok

v2.1.0

Record

Click “Single Comparison”, you can freely choose which PSU you want to monitor in detail such as efficiency, fan speed, voltage, current and so on, or use “Select All” to see all the data of digital power supplies. After you select the data, the DPS G Mobile APP shows how data change during a period of time.

Note: The data read from the sensor on your motherboard and the reading values are based on the different types of motherboards. Thermaltake cannot promise to capture all data from the motherboard and graphic card.




Click “Total Analysis”, users can see the selected information of the PSU, including Total Time, Total Cost, and kilowatt-hours (kWh). Percentages of each item will be showed clearly, either in line chart or pie chart.






Warning Alert and PC Off Remote Control

DPS G App will send out real-time warning signal when the fan speed, temperature (over 140°F/60°C), and voltage (over/under 5% of normal level) operate abnormally. This will help user reduce the possibility of overheating their internal component and burning their PC. When abnormal activities occur, the warning message will be sent to their mobile device and email. The SPM platform allows users to turn off the computer remotely via the mobile app when users receive the warning message.



In Remote page, DPS G App will present PSU connection status. You can turn off your PC remotely when you receive the warning message.



Click “+” to set schedule turn off.

05 57 Save

06 58

07 59

08 00

09 01

Every Sunday

Every Monday

Every Tuesday


Every Wednesday

Every Thursday

Every Friday



Every Saturday

The Windows system will turn off in 30 seconds or shutdown according to the schedule by user setting.



Feed


On “Feed” page, users are capable of checking their data and status on the Wall. And Official is the place where you can find Thermaltake’s press releases and new product information.



Map


Discover more and more users who are interested in building an ECO environment and how much energy consumption other users have reduced in the world.

Note: The map ONLY appears users who have enabled their sharing “Location Service”.



Settings

Click “Setting”, besides personal information, users can turn on/off the location services, switch the temperature in °C or °F, or log in/out easily.



FAQ:

A. Account

1. Forgot password

Click **“Forgot”** on the Thermaltake DPS smart power management website. Enter the email address you gave when you registered your account. You will then get an email containing instructions on resetting your password. Click the link in the email to reset your password.

2. How do I change my account information?

After logging into SPM website successfully, click **“Account”** → **“Settings”** → **“Profile”**. You may change your personal account information including name, email address, birthday and temperature settings (default at Celsius) and unit electricity price.


3. How do I change my password?

Click **“Account”** → **“Settings”** → **“Password”** in the Thermaltake DPS smart power management website after logging into successfully. You may change your password by entering the old one first and then entering a new one.


B. Enabling services

1. How do I enable the Thermaltake SPM service?

After you have bought a Thermaltake DPS G series PSU, go to <http://dps.thermaltake.com/>, click the option **“DPS G PC APP 2.0”** under the **“Product”** tab.



Install the software as instructed and register your account by following steps given below.




2. How do I get my PSU serial number?

You may find the PSU serial number printed under the bar code on package of and in your product.

3. How do I enter the PSU serial number into the SPM Client software?


During the installation of SPM Client software you may be prompted by the system for serial number input with a dialog box as shown below:




Click “**Input SN**”, enter the last 11 characters of the serial number included with your product, then click “**Submit**”.



Validate the serial number again before clicking Submit



After the number has been successfully validated, you will be sent back to the registration page as shown below.



4. Term of usage and privacy policy

Term of usage: <http://dps.thermaltake.com/en/eula>

Privacy policy: <http://dps.thermaltake.com/en/privacy>

C. Operating systems supported

1. What operating systems are supported by the SPM PC Client software?

Windows system: Windows XP SP3+, Windows 7, and Windows 8

Please install the following systems before installing the SPM Client software on your PC:

Adobe Flash Player: <https://get.adobe.com/flashplayer/?fpchrome>

(Note: The Flash Player comes with your browser may differ from what is required by the SPM Client software. Please download it via Internet Explorer.)

Java: <https://java.com/download/>

Microsoft .NET V4.5 or later release:

<https://www.microsoft.com/download/details.aspx?id=30653>

2. Mobile browser supported by the SPM

Android: <https://play.google.com/store/apps/details?id=com.thermaltake.TtDPSG>

iOS: <https://itunes.apple.com/us/app/tt-dps-g/id1028230950?mt=8>

3. Browsers supported by the SPM Web

Internet Explorer 9+, Chrome, FireFox, Safari

D. Product operation

1. How to start up your Thermaltake SPM service?

Windows system: Click the DPSapp configuration shortcut on your desktop to start using the software after successful installation.

Website: Please log into the Thermaltake DPS smart power management website at <http://dps.thermaltake.com/> to start using the service.

2. How do I exit the Thermaltake SPM PC Client?

Click **“Settings”** → **“Logout”** in your PC Client software to exit the service.

3. How do I add/remove my friends?

Click **“Account”** → **“Settings”** → **“Friends”** in the Thermaltake DPS smart power management website after logging into successfully. Search your friends with their IDs before clicking the **“+ friend”** or **“Remove from your friends”**.

4. How do I export the PSU data?

Click **“Account”** → **“Settings”** → **“Export”** in the Thermaltake DPS smart power management website after logging into successfully. Select desired PSU data before clicking the **“Export”**.

5. How do I set up the unit electricity price?

Click **“Account”** → **“Settings”** → **“Profile”** in the Thermaltake DPS smart power management website after logging into successfully. You may set up unit electricity price in the **“Electricity cost”** option which varies among policies and districts.

6. How do I set up the analysis period?

Click **“Analysis”** in the Thermaltake DPS smart power management website after logging into successfully. Select the desired PSU, click **“Send,”** and set up the analysis period by giving the **“Start date”** and **“End date”** before clicking the **“Submit”**.

7. How do I review the PSU activity log?

Click **“ME ”**→ **“Activity ”** in the Thermaltake DPS smart power management website after logging into successfully and your personal activity log displays. (Note: Activity log will be kept by the system for 90 days.)

E. Other issues

1. Why doesn't the voltage, current, wattage, and temperature data of certain CPUs and GPUs display?

The voltage, current, wattage, and temperature data of certain CPUs and GPUs does not display due to product design variances of individual manufacturers (e.g.: Intel, AMD, NVIDIA or motherboard manufacturers).

2. Data provided by GPUs

The voltage and current data of GPU is for the VRM module of VGA card, i.e. those at the external PCI-E end, rather than for the whole GPU.

Terms of Service: <https://dps.thermaltake.com/en/eula>

Privacy Policy: <https://dps.thermaltake.com/en/privacy>

If you have any problem for our products, please visit the following website.

Custom Care: <http://my.thermaltake.com/>

Tt Forum: <http://community.thermaltake.com/>